

## Non-corona-associated literature

[Screening for Age-Related Olfactory Decline Using a Card-Type Odor Identification Test Designed for Use with Japanese People](#)

Naomi Gotow, Kohsuke Yamamoto, Takefumi Kobayashi, Tatsu Kobayakawa

[Improving the Assessment of Trigeminal Sensitivity: a Pilot Study](#)

Benoît Jobin, Cécilia Tremblay, Fanny Lécuyer Giguère, Jason Steffener, Johannes Frasnelli

» [Abstract](#) » [Full text HTML](#) » [Full text PDF](#)

[Context Effect on Temporal Resolution of Olfactory–Gustatory, Visual–Gustatory, and Olfactory–Visual Synchrony Perception](#)

Naomi Gotow, Tatsu Kobayakawa

» [Abstract](#) » [Full text HTML](#) » [Full text PDF](#)

[Exploring the Relationship Between Psychopathy and Taste Perception](#)

Mehmet K. Mahmut, Breanna Banzer

» [Abstract](#) » [Full text HTML](#) » [Full text PDF](#)

[Olfaction and anosmia: From ancient times to COVID-19](#)

S Mathis, G Le Masson, A Soulages, F Duval, L Carla... - *Journal of the Neurological ...*, 2021

[Taste and olfactory disorders in adults: Anatomy and etiology](#)

D Lafreniere

[Regulation of Metabolic Health by an “Olfactory-Hypothalamic Axis” and Its Possible Implications for the Development of Therapeutic Approaches for Obesity and T2D](#)

MA Guzmán-Ruiz, A Jiménez, A Cárdenas-Rivera... - *Cellular and Molecular ...*, 2021

[\[PDF\] Development of Chinese odor identification test](#)

B Su, D Wu, Y Wei - 2021

[\[PDF\] Clinical Practice & Epidemiology in Mental Health](#)

D Abu-Naser, S Gharaibeh, AZ Al Meslamani, Q Alefan...

**Olfactory**-trigeminal interactions in patients with Parkinson's disease.

Tremblay C, Frasnelli J. *Chem Senses*. 2021 Apr 9:bjab018.

Associations of **Taste** Perception with Tobacco Smoking, Marijuana Use, and Weight Status in the National Health and Nutrition Examination Survey.

Chao AM, Zhou Y, Franks AT, Brooks BE, Joseph PV; Clinical Investigator & Chief of the Sensory Science & Metabolism Unit. *Chem Senses*. 2021 Apr 9:bjab017.

Association Between **Olfactory** Function and Asthma in Adults.

Rhyou HI, Bae WY, Nam YH. *J Asthma Allergy*. 2021 Mar 31;14:309-316.

**Olfactory** Dysfunction and Cognition in Radiologically Isolated Syndrome and Relapsing-Remitting Multiple Sclerosis.

Arici Duz O, Saatci O, Karakulak EZ, Birday E, Hanoglu L. *Eur Neurol*. 2021 Apr 8:1-8. doi: 10.1159/000514433.

Inhibition of Bitter **Taste** from Oral Tenofovir Alafenamide.

Schwiebert E, Wang Y, Xi R, Choma K, Streiff J, Flammer LJ, Rivers N, Ozdener MH, Margolskee RF, Christensen CM, Rawson NE, Jiang P, Breslin PAS. *Mol Pharmacol*. 2021 May;99(5):319-327.

IS SONIC HEDGEHOG EXPRESSION IN SALIVA RELATED TO **TASTE** SENSITIVITY IN ADULTS?

Ozturk EE, Dikmen D. *Physiol Behav*. 2021 Apr 3:113412.

**smell** is the sense of memory and desire.

Fokkens WJ. *Rhinology*. 2021 Apr 1;59(2):113.

Chemosensory dysfunction in Cushing's syndrome.

Heger E, Rubinstein G, Braun LT, Zopp S, Honegger J, Seidensticker M, Reincke M, Oßwald A. *Endocrine*. 2021 Apr 5.

Short-term chemosensory distortions and phantoms in COVID-19.

Gurrola JG 2nd, Chang JL, Roland LT, Loftus PA, Cheung SW. *Laryngoscope Investig Otolaryngol*. 2021 Feb 1:10.1002/lio2.532.

Odor identification impairment and cholinesterase inhibitor treatment in Alzheimer's disease.

Motter JN, Liu X, Qian M, Cohen HR, Devanand DP. *Alzheimers Dement (Amst)*. 2021 Mar 31;13(1):e12158.

Clinical Implications of Psychophysical **Olfactory** Testing: Assessment, Diagnosis, and Treatment Outcome.

Su B, Bleier B, Wei Y, Wu D. *Front Neurosci*. 2021 Mar 18;15:646956.

**Olfactory** rehabilitation and **olfactory** bulb volume changes in patients after total laryngectomy: a prospective randomized study.

Gürbüz D, Kesimli MC, Bilgili AM, Durmaz HÖ. *Braz J Otorhinolaryngol*. 2021 Mar 20:S1808-8694(21)00058-6.

Veränderung des Geruchs- und Geschmackssinns bei COVID-19-Patienten.

[No authors listed] *Laryngorhinootologie*. 2021 Apr;100(4):248-249.

**Smell and Taste Loss Recovery Time in COVID-19 Patients and Disease Severity.**

Printza A, Katotomichelakis M, Valsamidis K, Metallidis S, Panagopoulos P, Panopoulou M, Petrakis V, Constantinidis J. *J Clin Med*. 2021 Mar 2;10(5):966.

Brain Metabolic Correlates of Persistent **Olfactory** Dysfunction after SARS-Cov2 Infection.

Donegani MI, Miceli A, Pardini M, Bauckneht M, Chiola S, Pennone M, Marini C, Massa F, Raffa S, Ferrarazzo G, Arnaldi D, Sambuceti G, Nobili F, Morbelli S. *Biomedicines*. 2021 Mar 12;9(3):287.

The interest of fluticasone nasal spray in COVID-19 related anosmia is still not demonstrated.

Lechien JR, Hoch CC, Vaira LA, Saussez S. *Am J Otolaryngol*. 2021 Mar 24:103008.

COVID-19-Induced Anosmia and Ageusia Are Associated With Younger Age and Lower Blood Eosinophil Counts.

Sehanobish E, Barbi M, Fong V, Kravitz M, Sanchez Tejera D, Asad M, Matsumura C, Ferastraoaru D, O'Neill M, Karagic M, Akbar N, Bottalico DM, Patel V, Peshansky A, Rangareddy M, Hudes G, Kim M, Eisenberg R, Nath A, Smith BR, Ow TJ, Jerschow E. *Am J Rhinol Allergy*. 2021 Apr 4:19458924211004800.

Severe Acute Respiratory Syndrome Coronavirus 2, **Olfactory** Mucosa, and the Entrance in the Central Nervous System: Expanding the Evidence?

Monje MHG. *Mov Disord Clin Pract*. 2021 Feb 22;8(3):350-351.

Psychophysical evaluations are important, usefulness and usability approaches to study the **smell** disorder related to COVID-19.

Saussez S, Hans S, Chiesa-Estomba CM, Lechien JR. *J Intern Med*. 2021 Apr 4. doi: 10.1111/joim.13297.

Simultaneously Complete but Not Partial **Taste** and **Smell** Losses were Associated with SAR-CoV-2 Infection.

Trachootham D, Thongyen S, Lam-Ubol A, Chotechuang N, Pongpirul W, Prasithsirikul W. *Int J Infect Dis*. 2021 Apr 2:S1201-9712(21)00301-5.

Correction to: Characteristics of **taste** dysfunction in COVID-19 subjects coming from two different countries.

Pendolino AL, Ottaviano G, Scarpa B, Cattelan A, Andrews JA, Andrews PJ. *J Neurovirol*. 2021 Apr 8. doi: 10.1007/s13365-021-00976-y.

[\[HTML\] Epidemiological and Clinical Characteristics of 217 COVID-19 Patients in Northwest Ohio, United States](#)

M Balla, G Merugu, Z Nesheiwat, M Patel, T Sheikh... - Cureus, 2021

[Persisting \*\*olfactory\*\* dysfunction improves in patients 6 months after COVID-19 disease](#)

MS Otte, ML Bork, PH Zimmermann, JP Klussmann... - Acta Oto-Laryngologica, 2021

### The extra read

The Orbitofrontal Cortex, Food Reward, Body Weight, and Obesity.

Rolls ET. Soc Cogn Affect Neurosci. 2021 Apr 8;nsab044.

[Salt \*\*taste\*\* perception and blood pressure levels in population-based samples: the Circulatory Risk in Communities Study \(CIRCS\).](#)

Kudo A, Kitamura A, Imano H, Cui R, Umesawa M, Yamagishi K, Ohira T, Muraki I, Hayama-Terada M, Kiyama M, Iso H; for CIRCS Investigators. Br J Nutr. 2021 May 14;125(9):1080.

[\*\*Olfactory\*\* function in the trace amine-associated receptor family \(TAARs\) evolved twice independently.](#)

Dieris M, Kowatschew D, Korsching SI. Sci Rep. 2021 Apr 8;11(1):7807.