

References august 15 2020

Non-corona-associated literature

[\[HTML\] Increased prediction value of biomarker combinations for the conversion of mild cognitive impairment to Alzheimer's dementia](#)

A Zhao, Y Li, Y Yan, Y Qiu, B Li, W Xu, Y Wang, J Liu - Translational , 2020

[| Threshold Methods](#)

BT Carr, M McGinley

[Validation of the Chinese version of chemotherapy-induced Taste Alteration Scale among patients with head and neck cancer undergoing radiotherapy: A cross](#)

Y Wang, L Zhang, Q Lu, H Li, S Jin, H Cui, Y Wang - European Journal of , 2020

[Diagnostic Accuracy of MRI-Based Morphometric Parameters for Detecting Olfactory Nerve Dysfunction](#)

MK Lee, JH Lee, JH Kim, H Kim, L Joo, M Kim, SJ Cho - American Journal of , 2020

[Endoscopic Study of the Distribution of Olfactory Filaments: A Cadaveric Study](#)

RM Soriano, C Arturo Solares, G Pradilla - American Journal of ..., 2020

[\[HTML\] Childhood Maltreatment Alters the Neural Processing of Chemosensory Stress Signals](#)

A Maier, L Heinen-Ludwig, O Güntürkün, R Hurlemann - Frontiers in Psychiatry, 2020

[\[HTML\] The smelly truth: evidence that exposure to the scent of a romantic partner reduces stress reactivity and Improves sleep efficiency](#)

MK Hofer - 2020

[Smell and taste dissociations in the modulation of tonic pain perception induced by a capsaicin cream application](#)

MP Cecchini, M Riello, A Sandri, A Zanini, M Fiorio... - European Journal of Pain

[Olfactory markers for depression: Differences between bipolar and unipolar patients.](#)

Kazour F, Richa S, Abi Char C, Surget A, Elhage W, Atanasova B.

PLoS One. 2020 Aug 13;15(8):e0237565. doi: 10.1371/journal.pone.0237565. eCollection 2020.

PMID: 32791517

[A Formulation for Suppressing Bitter Taste in the Human Oral Cavity.](#)

Smutzer G, Cherian S, Patel D, Lee BS, Lee K, Sotelo AR, Mitchell KW.
Physiol Behav. 2020 Aug 10:113129. doi: 10.1016/j.physbeh.2020.113129.

[Age differences in olfactory affective responses: evidence for a positivity effect and an emotional dedifferentiation.](#)

Vieillard S, Ronat L, Baccarani A, Schaal B, Baudouin JY, Brochard R.
Neuropsychol Dev Cogn B Aging Neuropsychol Cogn. 2020 Aug 12:1-14.

[Identification of Viruses in Patients With Postviral Olfactory Dysfunction by Multiplex Reverse-Transcription Polymerase Chain Reaction.](#)

Tian J, Pinto JM, Li L, Zhang S, Sun Z, Wei Y.
Laryngoscope. 2020 Aug 12. doi: 10.1002/lary.28997.

[Does Nasal Secretion Decrease in Sjögren Syndrome and Does This Affect Nasal Function?](#)

Eren E, Balcı K, Gerçik Ö, Kabadayı G, Akar S.
Laryngoscope. 2020 Aug 11. doi: 10.1002/lary.29022.

[Olfactory Training - What is the evidence?](#)

Turner JH.
Int Forum Allergy Rhinol. 2020 Aug 10. doi: 10.1002/alr.22681.

[Auditory and Olfactory Deficits in Essential Tremor - Review of the Current Evidence.](#)

Sengul Y.
Tremor Other Hyperkinet Mov (N Y). 2020 Jun 9;10:3.

[Gustatory Dysfunction Is Closely Associated With Frailty in Patients With Chronic Kidney Disease.](#)

Chen SI, Chiang CL, Chao CT, Chiang CK, Huang JW.
J Ren Nutr. 2020 Aug 7:S1051-2276(20)30166-7.

[Effect of odor pleasantness on heat-induced pain: An fMRI study.](#)

Jo HG, Wudarczyk O, Leclerc M, Regenbogen C, Lampert A, Rothermel M, Habel U.
Brain Imaging Behav. 2020 Aug 8.

[A novel surgical treatment for long lasting unilateral parosmia: Olfactory cleft blocking technique.](#)

Liu J, Pinheiro-Neto CD, Zhao J, Chen Z, Wang Y.
Auris Nasus Larynx. 2020 Aug 4:S0385-8146(20)30195-4.

Diagnostic Accuracy of MRI-Based Morphometric Parameters for Detecting **Olfactory** Nerve Dysfunction.

Lee MK, Lee JH, Kim JH, Kim H, Joo L, Kim M, Cho SJ, Suh CH, Chung SR, Choi YJ, Baek JH. AJNR Am J Neuroradiol. 2020 Aug 6. doi: 10.3174/ajnr.A6697.

Endoscopic Study of the Distribution of **Olfactory** Filaments: A Cadaveric Study.

Soriano RM, Arturo Solares C, Pradilla G, DelGaudio JM. Am J Rhinol Allergy. 2020 Aug 6:1945892420948784.

Corona-associated literature

[\[HTML\] Sudden olfactory loss as an early marker of COVID-19: a nationwide Italian survey](#)

L Spadera, P Viola, D Pisani, A Scarpa, D Malanga - European Archives of Oto, 2020

[\[HTML\] Psychophysical evaluation of chemosensory functions 5 weeks after olfactory loss due to COVID-19: a prospective cohort study on 72 patients](#)

SD Le Bon, N Pisarski, J Verbeke, L Prunier - European Archives of Oto, 2020

[The Prevalence of Olfactory Dysfunction in the General Population: A Systematic Review and Meta-analysis](#)

VM Desiato, DA Levy, YJ Byun, SA Nguyen, ZM Soler - American Journal of, 2020

[\[HTML\] The Loss of Smell and Taste in the COVID-19 Outbreak: a Tale of Many Countries](#)

J Mullol, I Alobid, F Mariño-Sánchez  - Current Allergy and Asthma , 2020

[Emerging Human Coronavirus Infections \(SARS, MERS, and COVID-19\): Where They Are Leading Us](#)

V Kumar - International Reviews of Immunology, 2020

[HTML] [Acute Olfactory Dysfunction A Primary Presentation of COVID-19 Infection](#)

NRG Brookes, JW Fairley, GB Brookes - Ear, Nose & Throat Journal, 2020

[PDF] [Prevalence and Reversibility of Smell Dysfunction Measured Psychophysically in a Cohort of COVID 19 patients](#)

ST Moein, SMR Hashemian, P Tabarsi, RL Doty - International Forum of Allergy & Rhinology

[Taste and smell disorders in COVID-19 patients: role of Interleukin-6](#)

AP Cazzolla, R Lovero, L Lo Muzio, NF Testa - ACS Chemical , 2020

[HTML] [Do olfactory and gustatory psychophysical scores have prognostic value in COVID-19 patients? A prospective study of 106 patients](#)

LA Vaira, C Hopkins, M Petrocelli, JR Lechien, D Soma - Journal of Otolaryngology ..., 2020

[HTML] [Anosmia: a missing link in the neuroimmunology of coronavirus disease 2019 \(COVID-19\)](#)

N Yazdanpanah, A Saghadzadeh, N Rezaei - Reviews in the Neurosciences, 2020

[PDF] [Acute loss of smell and taste among patients with symptoms compatible with COVID-19](#)

NC Bodnia, TL Katzenstein

[App-based tracking of self-reported COVID-19 symptoms.](#)

Zens M, Brammertz A, Herpich J, Südkamp N, Hinterseer M.
J Med Internet Res. 2020 Jul 26. doi: 10.2196/21956.

[Smell and taste recovery in coronavirus disease 2019 patients: a 60-day objective and prospective study.](#)

Vaira LA, Hopkins C, Petrocelli M, Lechien JR, Chiesa-Estomba CM, Salzano G, Cucurullo M, Salzano FA, Saussez S, Boscolo-Rizzo P, Biglioli F, De Riu G.

J Laryngol Otol. 2020 Aug 12:1-14. doi: 10.1017/S0022215120001826.

[Errors and Biases in Meta-analysis of the Prevalence of Olfactory Dysfunction in Patients With COVID-19.](#)

Santamaría-Gadea A, de Los Santos G, Alobid I, Mullol J, Mariño-Sánchez F.
Otolaryngol Head Neck Surg. 2020 Aug 11:194599820951133.

[New loss of smell and taste: Uncommon symptoms in COVID-19 patients on Nord Franche-Comte cluster, France.](#)

Klopfenstein T, Zahra H, Kadiane-Oussou NJ, Lepiller Q, Royer PY, Toko L, Gendrin V, Zayet S.
Int J Infect Dis. 2020 Aug 6:S1201-9712(20)30637-8.

[Anosmia: A marker of infection by the new corona virus.](#)

Daher VB, Soares Oliveira DS, Daher Júnior MF, Júnior de Melo Fernandes E, Bomtempo de Castro JV, Moya MI, de Castro Guimarães V.
Respir Med Case Rep. 2020 Jun 12;31:101129.

[Anosmia and ageusia associated with coronavirus infection \(COVID-19\) - what is known?](#)

Tanasa IA, Manciu C, Carauleanu A, Navolan DB, Bohiltea RE, Nemescu D.
Exp Ther Med. 2020 Sep;20(3):2344-2347.

Do olfactory and gustatory psychophysical scores have prognostic value in COVID-19 patients? A prospective study of 106 patients.

Vaira LA, Hopkins C, Petrocelli M, Lechien JR, Soma D, Giovanditto F, Rizzo D, Salzano G, Piombino P, Saussez S, De Riu G.J Otolaryngol Head Neck Surg. 2020 Aug 6;49(1):56.

Sudden onset, acute loss of taste and smell in coronavirus disease 2019 (COVID-19): a systematic review.

Samaranayake LP, Fakhruddin KS, Panduwawala C.Acta Odontol Scand. 2020 Aug 7:1-7.

Prevalence and Reversibility of Smell Dysfunction Measured Psychophysically in a Cohort of COVID-19 patients.

Moein ST, Hashemian SMR, Tabarsi P, Doty RL.Int Forum Allergy Rhinol. 2020 Aug 6.

Acute anosmia from COVID-19 infection.

Mermelstein S.Pract Neurol. 2020 Aug;20(4):343-344.

Features of anosmia in COVID-19.

Klopfenstein T, Kadiane-Oussou NJ, Toko L, Royer PY, Lepiller Q, Gendrin V, Zayet S. *Med Mal Infect.* 2020 Aug;50(5):436-439.